



2022

# TRAVERSE 1FL & 2FL SSV



1FL Model shown

Shown with equipment from independent suppliers  
not covered by the GM New Vehicle Limited Warranty  
GM is not responsible for the safety or quality of  
independent supplier alterations.



FLEET





## About This Publication

This catalog is not updated during the model year and should not be used for ordering purposes. It is intended as a source of basic information. All illustrations and specifications in this literature are based on the latest product information available at the time of publication. General Motors reserves the right to make changes at any time without notice. For further details, consult your local dealer.

Care must be taken during customer installation of equipment and wiring to ensure that all holes drilled in the body are corrosion protected, properly sealed and that vehicle wiring harnesses, piping or other components have not been displaced or damaged. Aftermarket equipment installers must be mindful of applicable Federal Motor Vehicle Safety Standards. This information can be obtained directly from the National Highway Traffic Safety Administration. Adding non-dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed. Please return all police vehicles to factory condition and settings upon decommissioning to prevent civilians from using these new 2022 calibrations, lighting and other features intended only for police and emergency customers. Wiring connection or splice changes are to be removed before the vehicle is returned to civilian use.

These vehicles are equipped with an airbag system. The airbag system in your police vehicle includes frontal driver and front outboard passenger airbags, front seat back side impact airbags and roof rail mounted head-curtain airbags. Customer installed equipment such as security barriers behind the front seats should not be mounted so that the barrier ends are within the side airbag deployment zones. The sensors and other components for the airbag system must not be relocated to accommodate the installation of customer furnished equipment; please refer to the service manual for sensor and other component locations. For information concerning instrument panel top pad mounted equipment and airbag system deployment zones, see the airbag information section in this catalog and the vehicle owners manual.

A note about vehicle alterations by independent suppliers: This catalog shows pictures of vehicles that have been altered or upfitted with equipment or components supplied to Chevrolet or its dealers by independent suppliers. GM is not responsible for the safety or quality of design features, materials or workmanship of any alterations by third parties.

# INDEX

## 2022 TRAVERSE 1FL AND 2FL

- **STANDARD FEATURES**
- **POWERTRAIN & EMISSIONS**
- **COLORS & INTERIOR TRIM**
- **OPTIONAL EQUIPMENT**
- **OnStar® Business Solutions**
- **SPECIFICATIONS**
- **ILLUSTRATION HIGHLIGHTS**
- **AIRBAG<sup>1</sup> DIMENSIONS**
- **AIRBAGS<sup>1</sup> FAQ**
- **STABILITRAK**
- **MAINTENANCE AND LIMITED WARRANTY**

**1.** Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.



# UPDATES FOR 2022

## DELETIONS

- **(G9K) Satin Steel Metallic exterior color -(GPA) Graphite Metallic exterior color**
- **(GPJ) Cajun Red Tintcoat exterior color -(PDZ) LPO, Interior Enhancement Package**
- **(WH6) LPO, Cargo net, horizontal**
- **(T4F) Headlamps, high intensity discharge**

## NEW FEATURES

- **(GA0) Northsky Blue Metallic exterior color**
- **(GSK) Cherry Red Tintcoat exterior color**
- **(PQB) Safety Package for 1FL, includes (UD7) Rear Park Assist<sup>1,2</sup>, (UKC) Lane Change Alert with Side Blind Zone Alert<sup>1</sup>, and (UFG) Rear Cross Traffic Alert<sup>1</sup>.**
- **(T8Z) Buckle to Drive**
- **(5W4) Fleet Special Service Vehicle**
- **(A2X) Seat Adjuster, driver 8-way power**
- **(A7E) Seat Adjuster, front passenger 4-way manual**
- **(PPW) Wireless Apple CarPlay/Wireless Android Auto**
- **(PDU) LPO, Premium Carpet Mat Package, includes (VYW) first and second row premium carpeted floor mats, LPO and (VI4) third row premium carpeted floor mat, LPO.**
- **(SD3) LPO, Foldable cargo organizer.**
- **(WMI) Active Aero Shutters, upper and lower**
- **(T4L) Headlamps, LED**
- **(PZW) Wheels, 18-inch (45.7 cm) Bright Silver-painted aluminum**
- **(ENL) Engine control, Start-stop system override**

## CHANGES

- **(PED) Chevy Safety Assist<sup>1</sup> is now standard on all models.**
- **(A2X) Seat adjuster, driver 8-way power replaces (AHT) Seat adjuster, driver 8-way power**
- **(AJ7) Seat adjuster, front passenger 6-way power replaces (AQ5) Seat Adjuster, front passenger 6-way power.**

**1.** Chevy Safety Assist includes Automatic Emergency Braking, Lane Keep Assist with Lane Departure Warning, Forward Collision Alert, Front Pedestrian Braking, Following Distance Indicator and IntelliBeam. Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. **2.** Vehicles built prior to December 20, 2021 include Rear Park Assist. Certain vehicles built on or after December 20, 2021, will be forced to include (00Y) Not Equipped with Rear Park Assist, which removes Rear Park Assist. See dealer for details or the window label for the features on a specific vehicle. Feature will not function on certain models without dealer retrofit, expected Q4, 2022, see dealer for details.

NOTE: This vehicle is not designed nor intended for use in high speed emergency vehicle operations. 1FL Models: 1NB56 (FWD) and 1NV56 (AWD) 2FL Models: 1NC56 (FWD) and 1NW56 (AWD)

When ordering Model 2FL the following standard equipment is included: 7-Passenger Seating (2-2-3), Lane Change Alert with Side Blind Zone Alert<sup>5</sup>, 120-volt Power Outlet located on the rear of center console. Rear Cross Traffic Alert<sup>2</sup>, Power windows with driver Express Up/Down and front passenger Express-Down, Leather-Wrapped Steering Wheel, SiriusXM<sup>2</sup> Radio (with 3-month All Access Trial), Outside Heated Power-adjustable manual-folding Body-color Mirrors with Turn Signal Indicators. Wireless Phone Charging, and Black Roof Rails.

Optional 2FL Equipment: 8-Passenger Seating ABC (2-3-3 seating configuration), Trailing Package V92 with Heavy-Duty Cooling System and Trailer Hitch, VLL Black Roof Rails,

## STANDARD 1FL & 2FL INTERIOR FEATURES

<b>AIR CONDITIONING</b>	Tri-zone automatic climate control, with individual climate settings for driver, right front passenger and rear seat occupants
<b>AUDIO SYSTEM<sup>1</sup></b>	Chevrolet Infotainment 3 system, 7" diagonal color touchscreen, six speaker system, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable
<b>AUTOMATIC EMERGENCY BRAKING<sup>2</sup></b>	Automatic Emergency Braking works with Forward Collision Alert to help you avoid or reduce the severity of a front-end collision with a detected vehicle you're following. This feature works at speeds below 50mph. Camera technology is used to automatically provide hard emergency braking or enhance the driver's hard braking.
<b>BUCKLE TO DRIVE</b>	Prevents vehicle from being shifted out of Park until driver seat belt is fastened. Times out after 20 seconds and encourages seat belt use. Can be turned on and off in Settings or Teen Driver menu.
<b>CARGO STORAGE</b>	Bin under rear floor
<b>CHEVY SAFETY ASSIST<sup>2</sup></b>	Includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam.
<b>COMPASS</b>	Digital display. Located in Driver Information Center
<b>CRUISE CONTROL</b>	Electronic with set and resume speed
<b>DISPLAY</b>	3.5" diagonal instrument information, monochromatic.
<b>FLOOR COVERING</b>	Color- keyed carpeting with color- keyed floor mats all rows
<b>FOLLOWING DISTANCE INDICATOR<sup>2</sup></b>	Displays the gap time in seconds between your vehicle and a detected vehicle you're following. This can help you decide if you're following much too closely.
<b>FORWARD COLLISION ALERT<sup>2</sup></b>	Can warn you if it detects a potential front-end collision with a vehicle you're following so you can quickly take action. It can also provide a tailgating alert if you're following a vehicle much too closely.
<b>FRONT PEDESTRIAN BRAKING<sup>2</sup></b>	Front Pedestrian Braking can help you avoid or reduce the severity of a front-end collision with a pedestrian it detects directly ahead of you. It provides pedestrian alerts and can even automatically provide hard emergency braking or enhance the driver's hard braking. The system works at speeds below 50mph during the daytime. It has limited nighttime and low visibility performance.
<b>KEYLESS OPEN/KEYLESS START</b>	Includes extended range Remote Keyless Entry with lock/unlock feature along with push to start.
<b>LANE CHANGE ALERT WITH SIDE BLIND ZONE ALERT<sup>2</sup></b>	Can provide side-mirror visual alerts when a detected moving vehicle is quickly approaching or is in your side blind zone. It can help you avoid lane change collisions.
<b>LATCH SYSTEM</b>	(Lower Anchors and Tethers for Children) for child restraint seats
<b>LIGHTING</b>	Interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
<b>MIRROR</b>	Inside rearview manual day/night
<b>ONSTAR<sup>5</sup></b>	Chevrolet Connected Access capable. Subject to terms. See onstar.com or dealer for details.
<b>POWER OUTLET</b>	120-volt power outlet located on rear of center console (On 2FL Model only)
<b>REAR VISION CAMERA<sup>2</sup></b>	While in Reverse, allows driver to view objects directly behind the vehicle via the screen in the center stack, includes dynamic guidelines (see illustration section for description)
<b>REAR PARK ASSIST<sup>2</sup></b>	Sensors for audible warning on rear bumper to assist with parking and avoiding objects while in reverse. (see illustration section for description)
<b>REAR CROSS TRAFFIC ALERT<sup>2</sup></b>	Can warn you of detected left or right cross traffic behind your vehicle when you're in Reverse.
<b>RESTRAINT SYSTEM</b>	Seat belts with pretensioners for driver and front outboard passenger and seat belts for all other designated seating positions. Airbags <sup>3</sup> : Front and seat-mounted side-impact for driver and front passenger, driver inboard seat-mounted side-impact and roof-rail mounted head-curtain for all rows in outboard seating positions
<b>SAFETY PACKAGE (PQB)</b>	Includes (UD7) Rear Park Assist <sup>2,4</sup> , (UKC) Lane Change Alert with Side Blind Zone Alert <sup>2</sup> , and (UFG) Rear Cross Traffic Alert <sup>2</sup> . Options are packaged in PQB on 1FL models, but individually standard on 2FL.
<b>SEATS, FRONT</b>	Buckets with driver 8-way power adjuster and power driver lumbar. Includes center console with 2 cup holders, covered storage bin with storage and removable tray. Front passenger seat adjuster is 4-way manual.
<b>SEAT, 2ND ROW</b>	Split 60/40 bench, manual folding. Includes, Rear seat reminder and heater ducts. Bucket Seats Are Standard on 2FL
<b>SEAT, 3RD ROW</b>	Split 60/40 bench, manual folding
<b>SENSOR</b>	Humidity and windshield temperature
<b>SIRIUSXM RADIO</b>	Enjoy a Platinum Plan trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at <a href="http://www.siriusxm.com">www.siriusxm.com</a> for complete terms and how to cancel. All fees, content, features, and availability are subject to change.

**1.** Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone and data plan rates apply. Apple CarPlay is a trademark of Apple Inc. Siri, iPhone and iTunes are trade- marks of Apple Inc., registered in the U.S. and other countries. Vehicle user interface is a product of Google and its terms and privacy statements apply. Requires the Android Auto app on Google Play and an Android compatible smartphone running Android 5.0 Lollipop or higher. Data plan rates apply. Android Auto is a trademark of Google LLC. **2.** Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings and road conditions at all times. Visibility, weather, and road conditions may affect feature performance. Read the vehicle's owner's manual for more important feature limitations and information. **3.** Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information. **4.** Vehicles built prior to December 20, 2021 include Rear Park Assist. Certain vehicles built on or after December 20, 2021, will be forced to include (OOY) Not Equipped with Rear Park Assist, which removes Rear Park Assist. See dealer for details or the window label for the features on a specific vehicle. Feature will not function on certain models without dealer retrofit, expected Q4, 2022, see dealer for details.

<b>STEERING COLUMN</b>	Tilt, 1FL has a urethane steering wheel; 2FL comes standard with a leather-wrapped 3-spoke wheel.
<b>STEERING WHEEL CONTROLS</b>	Mounted controls for audio, phone and cruise
<b>TEEN DRIVER</b>	A configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage better driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
<b>THEFT DETERRENT SYSTEM</b>	Vehicle Immobilizer (prevents vehicle start without correct key or remote) and Content Theft System (unauthorized entry, or entry without use of keyless remote fob, sounds horn and lamps flash). See your Owner's Manual for System operation information
<b>TOOL KIT</b>	Road emergency
<b>USB PORTS</b>	2 located in front on center console, 2 located on rear of center console for 2nd seat access and 2 located in cargo area (1 on each side)
<b>VISORS</b>	Driver and front passenger illuminated vanity mirrors
<b>WIFI HOTSPOT</b>	Wi-Fi Hotspot capable. Terms and limitations apply. See onstar.com or dealer for details.
<b>WINDOWS</b>	Power with driver Express Up/Down and front passenger Express-Down.
<b>WIRELESS APPLE CARPLAY/ WIRELESS ANDROID AUTO<sup>1</sup></b>	Allows wireless capability to qualified devices.
<b>WIRELESS PHONE CHARGING</b>	Cordless phone charging is standard only with 2FL. Not available on 1FL

## STANDARD 1FL & 2FL EXTERIOR FEATURES

<b>ACTIVE AERO SHUTTERS</b>	Aero shutters are designed to close when operating conditions permit. The shutters are located on the front of the A/C condenser under hood to divert airflow around the front of the truck reducing wind drag and improves fuel economy. When the cooling system requires more air flow the shutters automatically reopen, ensuring proper air flow through the radiator.
<b>BODYSIDE MODLINGS</b>	Black
<b>CAPLESS FUEL FILL</b>	The vehicle has a capless refueling system and does not have a fuel cap. The filling nozzle must be fully inserted and latched prior to starting fuel flow. NOTE: Overfilling the fuel tank by more than three clicks of a standard fill nozzle may cause vehicle performance issues, including engine stalling and damage to the fuel system, fuel spills, potential fuel fires
<b>DAYTIME RUNNING LAMPS</b>	LED, can be turned off manually at each ignition cycle
<b>DOOR LOCKS</b>	Power programmable with lockout protection and rear child security feature.
<b>DOOR HANDLES</b>	Body-color
<b>DEFOGGER</b>	Rear window, electric.
<b>EXHAUST</b>	Dual -outlet with circular bright tips
<b>GLASS</b>	Deep tinted
<b>HEADLAMPS</b>	Automatic on/off LED. General Motors is not responsible for the effects of any modifications
<b>INTELLIBEAM</b>	Automatic high beam control
<b>MIRRORS</b>	Heated power-adjustable, black, manual folding with turn signal indicator. 2FL includes body colored cap.
<b>REAR LIFTGATE</b>	Manual
<b>REMOTE KEYLESS ENTRY</b>	Keyless open and start. Includes panic alarm button. See illustration in STANDARD section
<b>ROOF RAILS</b>	Black, standard only on 2FL.
<b>TAILLAMPS</b>	LED
<b>TIRES</b>	P255/65R18 all-season blackwall
<b>TIRE PRESSURE MONITOR</b>	Message displays when the pressure in one or more of the vehicle's tires is low. Does not monitor spare tire
<b>TIRE, SPARE</b>	Compact T135/70R18 blackwall
<b>WHEELS</b>	18" Bright Silver painted aluminum PXJ wheel for 1FL; PZW for 2FL.
<b>WINDSHIELD WIPERS</b>	Intermittent with washers
<b>WIPER REAR</b>	Intermittent with washer

## STANDARD 1FL & 2FL MECHANICAL FEATURES FOR FWD & AWD MODELS



<b>ALTERNATOR</b>	170 amps
<b>AXLE</b>	3.49 Ratio
<b>BATTERY</b>	600 CCA
<b>BRAKE, PARK</b>	Electronic push button
<b>BRAKES</b>	4-wheel antilock, 4-wheel disc, 17" front and rear.
<b>BODY</b>	Unitized
<b>ENGINE</b>	3.6L V6 with SIDI VVT; 310 hp and 266 lb-ft.torque. Includes Stop-Start Engine Control System which automatically shuts down the engine in appropriate conditions; engine restarts instantly when driver is ready to move away
<b>FUEL TANK CAPACITY</b>	19.4 gallons (FWD) 21.7 gallons (AWD)
<b>STEERING</b>	Electric variable-effort power steering with Active Return Assist
<b>STABILITRAK</b>	Stability control system with Traction Control. For description see Stability Control and Traction Control section
<b>SUSPENSION, FRONT</b>	MacPherson strut independent with hydraulic control arm ride bushing and hollow stabilizer bar
<b>SUSPENSION, REAR</b>	Five-link independent with auxiliary spring aids and hollow stabilizer bar
<b>TRACTION MODE SELECT</b>	See STANDARD EQUIPMENT section for description and operation
<b>TRANSMISSION</b>	9-speed automatic
<b>WARRANTY (LIMITED)</b>	See limited warranty and maintenance section

<sup>1</sup> Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone and data plan rates apply. Apple CarPlay is a trademark of Apple Inc. Siri, iPhone and iTunes are trade- marks of Apple Inc., registered in the U.S. and other countries. Vehicle user interface is a product of Google and its terms and privacy statements apply. To use Android Auto on your car display, you'll need an Android phone running Android 6.0 or higher, an active data plan, and the Android Auto app. You can check which smartphones are compatible at [g.co/androidauto/requirements](http://g.co/androidauto/requirements). Google, Android, and Android Auto are trademarks of Google LLC.

## TRAVERSE 1FL MODEL

## STANDARD FRONT SEATS AND INTERIOR TRIM

AR9 Premium cloth bucket seats with driver 8-way power adjuster and power driver lumbar. Includes center console with 2 cup holders, covered storage bin with storage and removable tray.





Seat Code	Seat Trim	Color	Color Code
AR9	Premium Cloth	Jet Black	HIT




## 2ND ROW SEAT AND INTERIOR TRIM

Premium cloth Split 60/40 bench, manual folding. Includes, Rear seat reminder and heater ducts.





Seat Code	Seat Trim	Color	Color Code
AR9	Premium Cloth	Jet Black	HIT

- Second row seats are adjustable (fore and aft) with manual track bar under seat for desired leg or cargo room



## 3RD ROW SEAT AND INTERIOR TRIM

Premium cloth Split 60/40 bench, manual folding.





Seat Code	Seat Trim	Color	Color Code
AR9	Premium Cloth	Jet Black	HIT



## TRAVERSE 2FL MODEL

## FRONT SEATS AND INTERIOR TRIM

AR9 Premium cloth bucket seats with driver 8-way power adjuster and power driver lumbar. Includes center console with 2 cup holders, covered storage bin with storage and removable tray.





Seat Code	Seat Trim	Color	Color Code
AR9	Premium Cloth	Jet Black	HOU

- (HJO) Dark Atmosphere/Medium Ash Grey and (HK8) Jet Black Dark Galvanized in Premium Cloth are available

## 2ND ROW SEAT AND INTERIOR TRIM (60/40 SPLIT BENCH AVAILABLE BY ORDERING OPTION)

Premium cloth Bucket Seats, manual folding. Includes, Rear seat reminder and heater ducts.





Seat Code	Seat Trim	Color	Color Code
-	Premium Cloth	Jet Black	HOU

- (HJO) Dark Atmosphere/Medium Ash Grey and (HK8) Jet Black Dark Galvanized in Premium Cloth are available
- Second row seats are adjustable (fore and aft) with manual track bar under seat for desired leg or cargo room

## 3RD ROW SEAT AND INTERIOR TRIM

**STANDARD** Premium cloth Split 60/40 bench, manual folding.




Seat Code	Seat Trim	Color	Color Code
-	Premium Cloth	Jet Black	HOU


- (HJO) Dark Atmosphere/Medium Ash Grey and (HK8) Jet Black Dark Galvanized in Premium Cloth are available

AVAILABLE EXTERIOR COLORS ACTUAL COLORS MAY VARY


Silver Ice  
Metallic



Silver Sage Metallic  
(2FL only)



Summit White



Northsky Blue  
Metallic



Mosaic Black  
Metallic



## INTERIOR EQUIPMENT & FEATURES

<b>RWU</b>	<b>CARGO AREA ORGANIZER</b> – Collapsible with bowtie logo
<b>PDF</b>	<b>FLOOR LINER PACKAGE</b> – Includes (RIA) front and second row all-weather floor liner, (RIB) third row all-weather floor liner, (CAV) integrated cargo liner. Not available with (PDH) Interior Protection Package or (WH6) horizontal cargo net
<b>PDH</b>	<b>INTERIOR PROTECTION PACKAGE</b> – Includes (VAV) first and second row all-weather floor mats, LPO, (VKN) third row all-weather floor mats, LPO and (VLI) all-weather cargo mat. Not available with (PDF) Floor Liner Package, LPO or (PDZ) Interior Enhancement Package
<b>VI4</b>	<b>PREMIUM CARPETED FLOOR MAT 3RD ROW – INCLUDED AND ONLY AVAILABLE WITH (PDZ) INTERIOR ENHANCEMENT PACKAGE</b>
<b>VYW</b>	<b>PREMIUM CARPETED FLOOR MATS 1ST AND 2ND ROW</b> – Included and only available with (PDZ) Interior Enhancement Package
<b>PDY</b>	<b>ROADSIDE SAFETY PACKAGE</b> – Includes (RYT) First Aid Kit with Chevrolet Bowtie on the case and (S08) Highway Safety Kit with Chevrolet Bowtie on the case
<b>S6W</b>	<b>SEAT COVER, PROTECTIVE 2ND ROW</b> – Thermoplastic rubber and woven 600-denier Terylene fabric blocks spills, dirt and more. Removable and machine washable
<b>ABC</b>	<b>SEATING 8 PASSENGER</b> – Standard on 1FL Model, Optional on 2FL Model
<b>VQK</b>	<b>SPLASH GUARDS</b> – Custom molded front and rear splash guards.
<b>SAI</b>	<b>STAINLESS STEEL DOOR SILL PLATES</b> – Included and only available with (PDV) Chrome Essentials Package

## EXTERIOR

<b>SFZ</b>	<b>BLACK BOWTIE EMBLEMS</b> – Front and rear
<b>VQK</b>	<b>FRONT AND REAR SPLASH GUARDS</b> – Custom molded
<b>RDI</b>	<b>KEYLESS ENTRY KEYPAD</b> – With all-new vertical design, 5-digit programmable keypad located on driver side B-pillar
<b>VK3</b>	<b>LICENSE PLATE FRONT MOUNTING PACKAGE</b> – Will be forced on orders with ship-to states that require a front license plate
<b>VLL</b>	<b>ROOF RACK CROSS RAILS</b> – Black, Only available on 2FL Models
<b>SFE</b>	<b>WHEEL LOCKS</b> – Includes 4 locks and 1 key

## MECHANICAL

<b>K05</b>	<b>ENGINE BLOCK</b> – Heater
<b>R9Y</b>	<b>FLEET MAINTENANCE CREDIT</b> – This option code provides a credit in lieu of the complimentary oil changes, tire rotations and inspections for one maintenance service during 1st year of ownership. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FEF, FLS, FNR, FRC or FGO. Not available with FDR order types
<b>V92</b>	<b>TRAILERING EQUIPMENT</b> – (Available with 2FL only) EQUIPMENT Includes (V08) heavy-duty cooling system, trailer hitch, (PZ8) Hitch Guidance with Hitch View*, includes trailering assist guidelines. Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information.

## SHIP THRU CODES

<b>CJB</b>	<b>SHIP THRU</b> – Produced in Lansing Delta Assembly and shipped to Kerr Industries, Warren, MI and returned to Lansing Delta. (Dealer Invoice = \$300.00). Requires a Fleet order type
<b>SVO</b>	<b>SHIP THRU</b> – Produced in Lansing Delta Assembly and shipped to Knapheide, Flint, MI, then proceeds to Orion. (Dealer Invoice = \$250.00). Requires a Fleet order type
<b>VF4</b>	<b>SHIP THRU</b> – Produced in Lansing Delta Assembly and shipped to Canfield Equipment, Warren, MI and returned to Lansing Delta. (Dealer Invoice = \$275.00). Requires a Fleet order type
<b>VQZ</b>	<b>SHIP THRU</b> – Produced at Lansing Delta Assembly, shipped to Auto Truck, Roanoke, IN for upfit, then shipped to final destination. (Dealer Invoice=\$535) Requires a Fleet order type.

## ONSTAR<sup>1</sup>/SIRIUSXM FLEET OPTIONS

**POJ ONSTAR ADDITIONAL 21 MONTHS OF ONSTAR FLEET SAFETY AND SECURITY<sup>2</sup>.** Provides 21 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 24 months. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POK, POL, R7Z, PIR, PIS, PIT or PIU. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**POK ONSTAR ADDITIONAL 33 MONTHS OF ONSTAR FLEET SAFETY AND SECURITY<sup>2</sup>.** Provides 33 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 36 months. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ, POL, R7Z, PIR, PIS, PIT or PIU. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**POL ONSTAR ADDITIONAL 45 MONTHS OF ONSTAR FLEET SAFETY AND SECURITY<sup>2</sup>.** Provides 45 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 48 months. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ, POK, R7Z, PIR, PIS, PIT or PIU. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**R7Z ONSTAR ADDITIONAL 57 MONTHS OF ONSTAR ASSURANCE FOR TIER3 FLEETS<sup>2</sup>.** Provides 57 months of OnStar Assurance service in addition to the 3 months of complimentary Safety & Security coverage that is included in the price of the vehicle. Total Fleet OnStar Safety & Security service duration is 3 months and 57 months of OnStar Assurance. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ, POK, POL, PIR, PIS, PIT or PIU. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**POM ONSTAR ADDITIONAL 21 MONTHS OF ONSTAR FLEET DRIVER REMOTE ACCESS<sup>3</sup>.** Provides 21 months of Fleet Driver Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Driver Remote Access service duration is 24 months. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PON or P00. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**PON ONSTAR ADDITIONAL 33 MONTHS OF ONSTAR FLEET DRIVER REMOTE ACCESS<sup>3</sup>.** Provides 33 months of Fleet Driver Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Driver Remote Access service duration is 36 months. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POM or P00. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**P00 ONSTAR ADDITIONAL 45 MONTHS OF ONSTAR FLEET DRIVER REMOTE ACCESS<sup>3</sup>.** Provides 45 months of Fleet Driver Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Driver Remote Access service duration is 48 months. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POM or PON. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**PIR ONSTAR ADDITIONAL 9 MONTHS OF ONSTAR ASSURANCE FOR TIER3 FLEETS<sup>2</sup>.** Provides 9 months of OnStar Assurance service in addition to the 3 months of complimentary Safety & Security coverage that is included in the price of the vehicle. Total Fleet OnStar Safety & Security service duration is 3 months and 9 months of OnStar Assurance. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ, POK, POL, R7Z, PIS, PIT or PIU. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**PIS ONSTAR ADDITIONAL 21 MONTHS OF ONSTAR ASSURANCE FOR TIER3 FLEETS<sup>2</sup>.** Provides 21 months of OnStar Assurance service in addition to the 3 months of complimentary Safety & Security coverage that is included in the price of the vehicle. Total Fleet OnStar Safety & Security service duration is 3 months and 21 months of OnStar Assurance. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ, POK, POL, R7Z, PIR, PIT or PIU. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**PIT ONSTAR ADDITIONAL 33 MONTHS OF ONSTAR ASSURANCE FOR TIER3 FLEETS<sup>2</sup>.** Provides 33 months of OnStar Assurance service in addition to the 3 months of complimentary Safety & Security coverage that is included in the price of the vehicle. Total Fleet OnStar Safety & Security service duration is 3 months and 33 months of OnStar Assurance. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ, POK, POL, R7Z, PIR, PIS or PIU. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**PIU ONSTAR ADDITIONAL 45 MONTHS OF ONSTAR ASSURANCE FOR TIER3 FLEETS<sup>2</sup>.** Provides 45 months of OnStar Assurance service in addition to the 3 months of complimentary Safety & Security coverage that is included in the price of the vehicle. Total Fleet OnStar Safety & Security service duration is 3 months and 45 months of OnStar Assurance. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ, POK, POL, R7Z, PIR, PIS or PIT. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**POV ONSTAR VEHICLE INSIGHTS - 1 YEAR OF SERVICE. INCLUDES 12 MONTHS OF ONSTAR VEHICLE INSIGHTS SERVICE<sup>4</sup>.** OnStar Vehicle Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Vehicle Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at [www.onstarvehicleinsights.com](http://www.onstarvehicleinsights.com) in order to take advantage of this 12 months offer. Requires an active connected vehicle services plan. The OnStar Vehicle Insights service is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POW, POX, POY or POZ. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

**POW ONSTAR VEHICLE INSIGHTS - 2 YEARS OF SERVICE. INCLUDES 24 MONTHS OF ONSTAR VEHICLE INSIGHTS SERVICE<sup>4</sup>.** OnStar Vehicle Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Vehicle Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at [www.onstarvehicleinsights.com](http://www.onstarvehicleinsights.com) in order to take advantage of this 24 months offer. Requires an active connected vehicle services plan. The OnStar Vehicle Insights service is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POV, POX, POY or POZ. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

<sup>1</sup> See [OnStar.com/BusinessSolutions](http://OnStar.com/BusinessSolutions) for details and limitations. <sup>2</sup> OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. See [OnStar.com/BusinessSolutions](http://OnStar.com/BusinessSolutions) for details and limitations. <sup>3</sup> Driver Remote Access Plan does not include emergency or security services. See [OnStar.com/BusinessSolutions](http://OnStar.com/BusinessSolutions) for details and limitations. <sup>4</sup> Terms Apply. Available on select properly equipped 2015 model year and newer GM vehicles (excludes Volt, Low Cab Forward Trucks and GM vehicles built without OnStar Hardware, which includes but is not limited to select base Chevrolet and GMC trucks). Requires an active connected vehicle services plan. Fees, services, and availability subject to change without notice. Applicable taxes not included. Does not include emergency or security services. Diagnostics capabilities vary by vehicle model. Not all issues will deliver alerts. See [onstarvehicleinsights.com](http://onstarvehicleinsights.com) for details and limitations.

**POX ONSTAR VEHICLE INSIGHTS - 3 YEARS OF SERVICE. INCLUDES 36 MONTHS OF ONSTAR VEHICLE INSIGHTS SERVICE<sup>4</sup>.** OnStar Vehicle Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Vehicle Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at [www.onstarvehicleinsights.com](http://www.onstarvehicleinsights.com) in order to take advantage of this 36 months offer. Requires an active connected vehicle services plan. The OnStar Vehicle Insights service is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POV, POW, POY or POZ. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

---

**POY ONSTAR VEHICLE INSIGHTS - 4 YEARS OF SERVICE. INCLUDES 48 MONTHS OF ONSTAR VEHICLE INSIGHTS SERVICE<sup>4</sup>.** OnStar Vehicle Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Vehicle Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at [www.onstarvehicleinsights.com](http://www.onstarvehicleinsights.com) in order to take advantage of this 48 months offer. Requires an active connected vehicle services plan. The OnStar Vehicle Insights service is included in the price of the vehicle. Total service duration is 48 months. Non-Transferrable. Non-Refundable. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POV, POW, POX or POZ. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

---

**POZ ONSTAR VEHICLE INSIGHTS - 5 YEARS OF SERVICE. INCLUDES 60 MONTHS OF ONSTAR VEHICLE INSIGHTS SERVICE<sup>4</sup>.** OnStar Vehicle Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Vehicle Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at [www.onstarvehicleinsights.com](http://www.onstarvehicleinsights.com) in order to take advantage of this 60 months offer. Requires an active connected vehicle services plan. The OnStar Vehicle Insights service is included in the price of the vehicle. Total service duration is 60 months. Non-Transferrable. Non-Refundable. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available on POV, POW, POX or POY. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

---

**PR6 SIRIUSXM ADDITIONAL 9 MONTHS OF THE SIRIUSXM PLATINUM PLAN.** Includes 150 channels of add-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM app or online in addition to the 3 months of Platinum Plan trial service that is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. Available with 2FL only. Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.

---

**PR7 SIRIUSXM ADDITIONAL 21 MONTHS OF THE SIRIUSXM PLATINUM PLAN.** Includes 150 channels of add-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM app or online in addition to the 3 months of Platinum Plan trial service that is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. Available with 2FL only. Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.

---

**PR8 SIRIUSXM ADDITIONAL 33 MONTHS OF THE SIRIUSXM PLATINUM PLAN.** Includes 150 channels of add-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM app or online in addition to the 3 months of Platinum Plan trial service that is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. Available with 2FL only. Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.

---

## POWERTRAIN

ENGINE				TRANSMISSION		AXLE	
OPTION CODE	TYPE	DISPLACEMENT SYSTEM	FUEL CODE	OPTION CODE	TYPE	OPTION	RATIO
LFY	V6	3.6L	SIDI, VVT with Auto.Start/Stop	M3V	9-speed	FXC	3.49

## EMISSIONS - MUST BE SPECIFIED

<b>FE9</b>	<b>EMISSIONS</b> , Federal requirements
<b>YF5</b>	<b>EMISSIONS</b> , California state requirements
<b>NE1</b>	<b>EMISSIONS</b> , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
<b>NB8</b>	<b>EMISSIONS OVERRIDE</b> , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.
<b>NB9</b>	<b>EMISSIONS OVERRIDE</b> , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.
<b>NC7</b>	<b>EMISSIONS OVERRIDE</b> , Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington. Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.

## TIRES

MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
NA	4	P255/65R18	118 mph	All Season BW

## NOTE:

Due to specific requirements for performance durability and safety, GM recommends only the original equipment tires for replacement.

**Tire Plies = Tread 6 ply; 2 Polyester, 2 Steel, 2 Nylon, Sidewall, 2 Polyester**

**Tire Chains** - Proper size Low Profile chains that add no more than 12 mm thickness to the tire tread and inner sidewall are approved for 2022 Tahoe Police Vehicles if the vehicle has 275/55R20 size tires. If traction devices are used, install them on the rear tires only and tighten them as tightly as possible with the ends securely fastened. Drive slowly and follow the chain manufacturer's instructions. If the chains contact the vehicle, stop and retighten them. If contact continues, slow down until it stops. Tire chains used on a vehicle without the proper amount of clearance can cause damage to the brakes, suspension, or other vehicle parts. The area damaged by the tire chains could cause loss of control and a crash. Driving too fast or spinning the wheels with chains on will damage the vehicle. If traction devices are used, install them on the rear tires only. Use tire chains only where legal and only when necessary.

## SPECIFICATIONS

### GENERAL

Model: Front wheel drive	1NB56
Model: All Wheel Drive	1NV56
Seating arrangement for 1FL	2/3/3
Seating arrangement for 2FL (2/3/3 available)	2/2/3
Projected top speed	118 mph
Adding non dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.	

### EXTERIOR (in./mm)

Wheelbase	120.9 /3071
Overall length	205.9/5230
Body width (without mirrors)	78.6/1996
Overall height*	70.7/1795
Front track width	67.3/1580
Rear track width	67.0/1702
Turning diameter curb to curb (ft./m) FWD and AWD	39.0/11.9

\* Published dimensions indicated are at Base Curb Weight

### FRONT COMPARTMENT (in./mm)

Head room	42.8/1087
Shoulder room	62.1/1577
Hip room	58.1/1476
Leg room	41.0/1041

### 2ND ROW COMPARTMENT (in./mm)

Head room	40.0/1016
Shoulder room	62.2/1580
Hip room	56.9/1445
Leg room	38.4/975

### 3RD ROW COMPARTMENT (in./mm)

Head room	38.2/970
Shoulder room	57.5/1460
Hip room	48.5/1232
Leg room	33.5/851

### PASSENGER COMPARTMENT VOLUME INDEX (cu.ft./liters)

EPA passenger compartment volume index	157.3/4454
--	------------

### CARGO VOLUME (cu.ft./liters)

Cargo volume (behind front row 2nd and 3rd row folded)	98.2/2781
Cargo volume (behind 2nd row 3rd row folded)	57.8/1637
Cargo Volume (behind 3rd row)	23.0/651

### EPA-ESTIMATED MPG FUEL ECONOMY RATINGS

3.6L engine FWD (City/Highway/Combined)	18/27/21
3.6L engine AWD (City/Highway/Combined)	17/25/20

### VEHICLE WEIGHT (lbs./kg.)

GVWR <sup>1</sup>	6160/2794
Payload for 1FL and 2FL (FWD) <sup>2</sup>	1840/835
Payload for 1FL and 2FL (AWD) <sup>2</sup>	1640/744
Base curb weight 1FL and 2FL (FWD)	4300/1950
Base curb weight 1FL and 2FL (AWD)	4500/2041

**NOTE: See Vehicle Load Limits in your Owner's Manual for loading information.**

### TRAILERING CAPACITY<sup>3</sup> (lbs./kg)

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of the optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

Model	(LFY) 3.6L 3.6L V6 SIDI VVT	
	Axel Ratio	Maximum Trailer Capacity
1NB56 / 1NV56	3.49	1500/680
1NC56 / 1NW56 (with V92*)	3.49	5000/2268

\* V92 Trailering Equipment Includes V08 heavy-duty cooling system and trailer hitch. Only available on 2FL Models

1. Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment.
2. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the drivers door jamb.
3. Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow



## SPECIFICATIONS

### ENGINE

Type	V6
Displacement: liters/cu. in.	3.6/217
Horsepower/rpm	310 @ 6800
Torque lb.-ft./rpm	266 @ 2800
Induction system	Direct Injection
Exhaust	Single
Minimum recommended fuel octane	87
Approximate fuel tank capacity (gallons/liters) FWD	19.4/73
Approximate fuel tank capacity (gallons/liters) AWD	21.7/82
Oil with filter (quarts/liters)	6.0/5.7
Cooling capacity (quarts/liters)	9.9/9.4

### AXLE

Ratio	3.49
-------	------

### TRANSMISSION

Automatic electronically controlled	9 Speed
-------------------------------------	---------

### BRAKES

Type:	Four-Wheel antilock, Four-wheel-disc, variable brake system with power assist and Duralife brake rotor with low-drag brake calipers
Front - swept area	255.2/1646
Rear - swept area	226.6/1462
Total front and rear swept area	481.8/3108
Front rotor diameter vented (in./mm)	12.6/321
Rear rotor diameter solid (in./mm)	12.4/315
Front rotor thickness (in./mm)	1.2/30
Rear rotor thickness (in./mm)	.9/23

### CHASSIS

Frame	Unitized Body
Front Suspension	MacPherson strut independent with hydraulic control arm ride bushing and hollow stabilizer bar
Rear Suspension	Five-link independent with auxiliary spring aids and hollow stabilizer bar
Steering type	Electric variable-effort power steering with Active Return Assist

### TIRES

Type	All Season, Blackwall
Size	P255R65R18

### WHEELS

Type	Bright silver painted aluminum
Size	18"



### BATTERY

Type	Heavy Duty Maintenance Free
Volts	12
Cold cranking-amps (SAE Rating)	600

### ALTERNATOR


Amps	170
------	-----

## DIMENSIONS



### Estimated material sizes to wrap:

- Hood - 22" x 68"
- Front Doors - 28" x 44"
- Rear Doors - 36" x 46"
- Roof - 120" x 48"
- Front Clip - 24" x 104"
- Rear Clip - 36" x 116"
- Front Quarter - 36" x 50"
- Rear Quarter - 36" x 48"



# STANDARD EQUIPMENT

## REMOTE KEYLESS TRANSMITTER



The Remote Keyless Entry (RKE) transmitter may work up to 60m (197 ft) away from the vehicle. Press the button on the side of the RKE transmitter to remove the key. The key can be used for all locks.

## KEYLESS OPEN



Use the Keyless Access system to lock and unlock the door. When the doors are locked and the Remote Keyless Entry (RKE) transmitter is within 3 feet (1m) of the driver door handle, press the lock/unlock button. When unlocking from the driver door, the first press unlocks that door; press again within five seconds to unlock all passenger doors

## ENGINE START/STOP



**STARTING THE ENGINE.** With the vehicle in Park or Neutral, press the brake pedal and then press and hold the ENGINE START/STOP button to start the engine.

**TURNING THE ENGINE OFF.** Shift to Park and press the ENGINE START/STOP button

**NOTE:** The transmitter must be in the vehicle to turn the engine on or off. If the transmitter battery is weak, place the transmitter in the pocket in the center console to enable the engine to start. Replace the transmitter battery as soon as possible.

**ACCESSORY MODE.** With the engine off and brake pedal NOT depressed, press the ENGINE START/STOP button to place the ignition system in the accessory position

## REAR PARK ASSIST (RPA)<sup>1</sup>

Displayed images may be farther or closer than they appear. The area displayed is limited and objects that are close to either corner of the bumper or under the bumper do not display.


A warning triangle may display on the Rear Vision Camera (RVC) screen to show where the RPA has detected an object. This triangle changes from amber to red and increases in size the closer the object.

Rear Parking Assist (RPA) uses sensors on the rear bumper to assist with parking and avoiding objects while in R (Reverse). It operates at speeds less than 5 mph (8 km/h). RPA may display a warning triangle on the Rear Vision Camera screen and a graphic on the instrument cluster to provide the object distance. In addition, multiple beeps may occur if very close to an object. The RVC displays a view of the area behind the vehicle, on the center stack display,

when the vehicle is shifted into R (Reverse). The camera(s) do not display children, pedestrians, bicyclists, crossing traffic, animals, or any other object outside of the cameras' field of view, below the bumper, or under the vehicle. Shown distances may be different from actual distances. Do not drive or park the vehicle using only these camera(s). Always check behind and around the vehicle before driving. Failure to use proper care may result in injury, death, or vehicle damage.

Note: Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic surroundings and road conditions at all times. Visibility, weather and road conditions may affect feature performance. Read the Owner's Manual for more important limitations and information.


1. View Displayed by the Camera
2. Corners of the Rear Bumper



<sup>1</sup> Feature will not function on certain models without dealer retrofit, expected Q4, 2022, see dealer for details.


# STANDARD EQUIPMENT

## DRIVER MODE CONTROL



### DRIVER MODE CONTROL KNOB FOR FWD


Driver Mode Control may have the following modes: FWD, Snow, and Tow/Haul. If equipped with All-Wheel Drive (AWD), the Driver Mode Control may have AWD, Two-Wheel Drive (2WD), Off-Road, and Tow/Haul. There may be Driver Information Center (DIC) messages displayed for each drive mode.



### DRIVER MODE CONTROL KNOB FOR AWD

Rotate the Driver Mode Control knob to make a mode selection. The icons on the knob will illuminate to indicate with mode is active. A Driver Information Center (DIC) message will indicate that the mode is on when switching to different modes.






Vehicle is in either Front-Wheel Drive for non AWD vehicles, or Two-Wheel Drive for AWD vehicles. This mode will remain active through future ignition cycles. This setting either puts the vehicle in Two-Wheel Drive (AWD vehicles) or is the normal drive mode (FWD vehicles). Use this mode for normal driving conditions. This is the most fuel efficient drive mode. See Owners Manual for more information.



### Auto Stop Disable Switch

The automatic engine Stop/Start feature can be disabled and enabled by pressing (A). Auto Stop/Start is enabled each time you start the vehicle.

# AIRBAGS



Sitting too close to an airbag when it deploys can increase the risk of serious injury or death. Always properly wear your seat belt. See Owner's Manual for more information.



# AIRBAG FAQ

**Q: Can equipment such as radar devices, video cameras, and radio trees be mounted in a specialty vehicle equipped with a right front passenger frontal airbag?**

A: Yes, but care must be taken to properly mount the equipment outside of the airbag "deployment zone."

**Q: What is the airbag "deployment zone"?**

A: The term "deployment zone" describes the space an airbag takes up when fully inflated. Airbags need room to work properly, and anything in the "deployment zone" – such as improperly mounted equipment – can greatly affect the performance of the airbag.

**Q: How can I identify the airbag "deployment zone" in my vehicle?**

A: See Airbag Deployment Diagrams for more information. The diagrams provide the approximate dimensions of the "deployment zones" for your specialty vehicle. Before doing any service work, including the installation of any equipment, consult the appropriate service manual.

**Q: Is it possible to shield equipment so it does not interfere with airbag deployment?**

A: While shielding may protect certain equipment from being damaged or dislodged, it may also negatively affect how an airbag inflates. Therefore, we cannot recommend the placement of any equipment in the deployment zone, even when shielding.

**Q: Can the installation of push bumpers on the front end of the vehicle affect the deployment of the airbag?**

A: It is not likely that installing push bumpers will affect sensing for the airbag as long as the vehicle structure itself is not modified. GM is not aware of any adverse defects from the many push bumpers that have been installed on current model GM police vehicles with airbags.

See "Adding Equipment to the Airbag-Equipped Vehicle" in the owner manual for more information.

**Customer-Installed Equipment**

Before installing equipment, read the following.

Airbags inflate with great force, faster than the blink of an eye. No objects, such as shotguns, should be placed over or near the airbag covers. Equipment mounted too close to an inflating airbag could prevent the airbag from operating properly to protect the occupants or could be forced into an occupant or break and become a dangerous projectile, causing severe injury or even death. To help prevent injury and to allow the airbag to perform as it was designed, do not mount equipment inside the airbag deployment zones.

Do not install equipment in the inflation path of any airbag. The equipment may interfere with the deployment of the airbag, may damage the airbag, or otherwise be damaged or forced into an occupant, all of which may cause severe injury or even death.

Do not attach anything to the steering wheel hub or mount any equipment within the deployment zone for the driver airbag.

Do not mount equipment on the passenger side of the instrument panel top pad deployment zone. Equipment should not be mounted on or around the passenger airbag opening because of a deploying airbag. To allow the airbag to perform as it was designed, do not mount equipment inside the airbag deployment zone.

Do not use seat accessories that block the inflation path of the driver or passenger seat-mounted side impact airbag or install equipment in the seat-mounted side impact airbag deployment zones.

Do not mount a security barrier such that the ends of the barrier or brackets are within the roof-rail airbag deployment zones.

Avoid installing wiring for roof-rail emergency lighting or radio antennas that may restrict the proper deployment of the roof-rail airbags.

Do not use seat accessories, console accessories, or other accessories that block the inflation path of the driver seat front center airbag (if equipped). Do not remove the front center console to install a police package center console, or otherwise install equipment or mount equipment between or just behind the front bucket seats on vehicles equipped with the driver seat front center airbag.

GM approved service procedures must be followed to remove and reinstall the instrument panel to the pad to ensure proper airbag deployment.

The police vehicle has a rollover sensor mounted on the centerline of the vehicle between the driver and front outboard passenger positions. If the vehicle has individual front seats, the rollover sensor will be exposed. Do not mount equipment within 25 mm (1 in) of the rollover sensor. This may affect the performance of multiple restraint systems.

Sitting too close to an airbag when it deploys can increase the risk of serious injury or death. Always properly wear your seat belt. See Owner's Manual for more information.

## MAINTENANCE / LIMITED WARRANTY

<b>INCLUDED MAINTENANCE</b>	One visit within first year of vehicle delivery <sup>1</sup>
<b>BUMPER-TO-BUMPER LIMITED WARRANTY</b>	3 years/36,000 miles <sup>2</sup> . Bumper-to-Bumper Limited Warranty with no deductible
<b>TRANSFERABLE POWERTRAIN LIMITED WARRANTY</b>	Qualified Fleet Customers: 5 years/100,000 miles <sup>3</sup>
<b>TIRES<sup>4</sup></b>	3 years/36,000 miles <sup>2</sup> ; coverage prorated after first 12,000 miles
<b>ROADSIDE ASSISTANCE AND COURTESY TRANSPORTATION</b>	Qualified Fleet Customers: 5 years/100,000 miles <sup>3</sup>
<b>RUST-THROUGH</b>	6 years/100,000 miles <sup>2</sup>
<b>CORROSION</b>	3 years/36,000 miles <sup>2</sup>
<b>WHEEL ALIGNMENT AND BALANCE</b>	Up to 7,500 miles <sup>6</sup>

**1.** Includes first required maintenance visit as stated in vehicle maintenance schedule. Maintenance visit consists of oil change, tire rotation and Multi-Point inspection. Does not include air filters. See participating dealer for other restrictions and complete details. Excludes vehicles ordered with fleet delete option RY9. **2.** Whichever comes first. See dealer for limited warranty details. **3.** Whichever comes first. A Qualified Fleet User is defined as a company that has purchased and registered or leased five (5) or more new cars/ or trucks solely for use in its operation during the current or preceding calendar year, model year, preceding twelve (12) month period, or that owns or leases fifteen (15) or more cars and trucks. Excludes rental customers. See dealer for details. **4.** Tires also covered under the Bumper-to-Bumper Warranty but are prorated based upon mileage. See dealer for warranty details. **5.** If the vehicle has a warrantable failure, see your Owner's Manual for full details on the Courtesy Transportation program. **6.** Customer maintenance item after 7,500 miles.



GM reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models, and availability. Specifications, dimensions, measurements, ratings, and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings and prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your GM dealer for complete details. Some of the equipment shown or described throughout this publication may be available at extra cost, and/or is supplied by an independent supplier.

Copyright 2020 General Motors. All rights reserved. All text, images, graphics, and other materials in this publication are subject to the copyright and other intellectual property rights of General Motors. These materials may not be reproduced, distributed, or modified without the express written permission of General Motors. The marks appearing in this publication including, but not limited to: GM and the GM logo; Chevrolet and their respective logos, emblems, slogans, and vehicle model names and body designs; and other marks such as GM Fleet and Commercial are trademarks and/or service marks of General Motors, its subsidiaries, affiliates, or licensors.

For more detailed information, contact your District Sales Manager or see the online order guide at [gmfleet.com/police](https://gmfleet.com/police).

