



**We're in the versatility tailored to your fleet business.**



Vehicle shown throughout with equipment from an independent supplier and is not covered by the GM New Vehicle Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

TO LEARN MORE VISIT  
[gmfleet.com/LCF](http://gmfleet.com/LCF)

GENERAL MOTORS FLEET



CHEVROLET  
**LOW CAB FORWARD**

GENERAL MOTORS FLEET



## BUILT FOR MAXIMUM UTILITY

When your fleet is faced with bigger tasks, you can find a Low Cab Forward (LCF) truck to help get them done. Every truck in our extensive LCF lineup features the easily maneuverable cab over design, tight turning radius, substantial space, mobile office offering and upfit<sup>1</sup> options that make the LCF a valuable asset to fleets who put a premium on hard work.

### TURNING DIAMETER (CURB TO CURB)

The Low Cab Forward Regular Cab gives you the nimbleness to maneuver in and out of tight spaces with ease. The cab over design allows for a turning diameter as low as 31.5' depending on wheelbase choice.

### DRIVER PERSPECTIVE

The large windshields of the Crew and Regular Cabs and downward sloping side windows provide outstanding perspective, helping the driver to keep a watchful eye on the task at hand.

### CONFIGURATION OPTIONS

The Low Cab Forward is available in wheelbases from 109" to 248," and can accommodate a wide range of body applications ranging from 10' to 30', as well as upfit options tailored to specific vocations.

### EASY ENGINE ACCESS

For the Regular Cab, easily tilt the cab forward with just one hand for access to the engine and transmission for normal maintenance and repair, without having to climb over the fenders, as is the case on a conventional style work truck.

### FRAME

The ladder-type channel section frame is heat-treated, carbon manganese, low alloy steel with good weldability and modular hole spacing, as well as a clean, flat top to provide an even surface for easy body mounting.

### AVAILABLE PTO MAIN SWITCH

The available PTO main switch and PTO engine idle up switches make operating external attachments more convenient.

## EXPERTS ON YOUR BUSINESS

### NATIONWIDE NETWORK

A network of Chevrolet Dealers specializing in Commercial Industry vehicles with locations across the country ready to serve business customers.

### FLEET ADVISORS

The Dedicated Fleet Action Center, comprised exclusively of fleet specialists, can work with you to achieve the goals of you and your fleet.

<sup>1</sup>Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

## DESIGNED AROUND THE DRIVER



### DOOR OPENING

An 85-degree door opening, in combination with the integrated entry step make for easy entry and exit for both driver and passenger.

### DRIVER SAFETY

The Chevrolet LCF offers a multitude of safety features. MobilEye<sup>1</sup> provides Lane Departure Warning as well as Forward Collision Alert, while a Rear Vision Camera<sup>2</sup> gives drivers a view behind the vehicle. Standard 4-wheel antilock brakes help add stability and control. Wraparound headlamps and separate side marker lights can help provide greater nighttime visibility from the front as well as the side.

<sup>1</sup>Read the Mobileye User Manual for important feature limitations and information. <sup>2</sup>Read the Alpine owner's manual included with the Rear Vision Camera system for important feature limitations and information. <sup>3</sup>The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by General Motors is under license. Other trademarks and trade names are those of their respective owners. <sup>4</sup>Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone and data plan rates apply. Apple CarPlay, Siri, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. <sup>5</sup>Vehicle user interface is a product of Google and its terms and privacy statements apply. Requires the Android Auto app on Google Play and an Android-compatible smartphone running Android 5.0 or higher. Data plan rates apply. Google, Android, Google Play and Android Auto are trademarks of Google LLC.

### RADIO UPGRADE/BLUETOOTH<sup>®3</sup>

Enhance the connectivity of Low Cab Forward with the upgraded Bluetooth-enabled radio, featuring a 7" diagonal touch screen, Apple CarPlay<sup>®4</sup> and Android Auto,<sup>TM5</sup> as well as Hands-Free Calling.

### STORAGE

Ample storage behind the seats, as well as conveniently placed overhead storage keep everything organized and out of sight.

# MODELS AND SPECS



## Regular Cab

MODEL <sup>1</sup>	3500	4500	4500 HD	4500 XD	5500 HD	5500 XD	6500 XD
OVERALL WIDTH (in.)	81.3	81.3	81.3	81.3	81.3	81.3	93.5
OVERALL HEIGHT (in.)	90	90.9	90.8	92.4	92.4	92.4	112
CAB TO END OF FRAME (in.)	129.6/153.1/170.6/196.6	129.6/153.1/170.6/196.6	129.6/153.1/170.6/196.6	129.6/153.1/170.6/196.6	129.6/153.1/170.6/196.6/220.6	129.6/153.1/170.6/196.6/220.6/232.6	192.9/220/247/264.9/283.1/301/319.1/337
CAB TO AXLE (in.)	86.5/153.5	86.5/153.5	86.5/153.5	86.5/153.5	86.5/177.5	86.5/189.5	127/223
WHEELBASE (in.)	109.0/132.5/150.0/176.0	109.0/132.5/150.0/176.0	109.0/132.5/150.0/176.0	109.0/132.5/150.0/176.0	109.0/132.5/150.0/176.0/200.00	109.0/132.5/150.0/176.0/200.00/212.0	152/170/188/200/212/224/236/248
OVERALL LENGTH (in.)	200.5/224.0/241.5/267.5	200.5/224.0/241.5/267.5	200.5/224.0/241.5/267.5	200.5/224.0/241.5/267.5	200.5/224.0/241.5/267.5/291.5	200.5/224.0/241.5/267.5/291.5/303.5	274.4/301.5/328.5/346.4/364.6/382.5/400.6/418.5
PAYLOAD RANGE <sup>2</sup> (lbs.)	6,600 - 6,796	8,744-8,941	8,259-8,456	9,330-9,526	10,859-11,381	12,214-12,794	15,046-16,382
GVWR <sup>3</sup> (lbs.)	12,000	14,500	14,500	16,000	17,950	19,500	25,950
GCWR <sup>4</sup> (lbs.)	18,000	20,500	20,500	22,000	23,950	25,500	30,000
GAWR: FRONT (lbs.)	4,860	6,630	5,360	6,630	6,830	7,275	11,000
GAWR: REAR (lbs.)	8,840	11,020	9,880	11,020	12,980	13,660	19,000

## Crew Cab

MODEL <sup>1</sup>	3500	4500	4500 HD	4500 XD	5500 HD	5500 XD
OVERALL WIDTH (in.)	81.3	81.3	81.3	81.3	81.3	81.3
OVERALL HEIGHT (in.)	90	91.1	90.8	92.4	92.4	92.4
CAB TO END OF FRAME (in.)	131.6/157.6	131.6/157.6	131.6/157.6	131.6/157.6	131.6/157.6	131.6/157.6
CAB TO AXLE (in.)	88.5/114.5	88.5/114.5	88.5/114.5	88.5/114.5	88.5/114.5	88.5/114.5
WHEELBASE (in.)	150.0/176.0	150.0/176.0	150.0/176.0	150.0/176.0	150.0/176.0	150.0/176.0
OVERALL LENGTH (in.)	241.5/267.5	241.5/267.5	241.5/267.5	241.5/267.5	241.5/267.5	241.5/267.5
PAYLOAD RANGE <sup>2</sup> (lbs.)	6,033-6,095	8,229-8,290	7,686-7,752	8,760-8,825	10,600-10,669	12,101-12,170
GVWR <sup>3</sup> (lbs.)	12,000	14,500	14,500	16,000	17,950	19,500
GCWR <sup>4</sup> (lbs.)	18,000	20,500	20,500	22,000	23,950	25,500
GAWR: FRONT (lbs.)	4,860	6,630	5,360	6,630	6,830	7,275
GAWR: REAR (lbs.)	8,840	11,020	9,880	11,020	12,980	13,660

<sup>1</sup>GM's product offering is subject to change as a result of market demand shifts, production scheduling changes and other factors. <sup>2</sup>Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. <sup>3</sup>Gross Vehicle Weight

Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment. <sup>4</sup>Gross Combined Weight Rating (GCWR). When properly equipped, includes weight of the vehicle and trailer combination, including the weight of the driver, passengers, fuel, optional equipment and cargo in the vehicle and trailer.

# STRENGTH WHERE IT COUNTS

Power up your business with two powerful engine options on the LCF lineup. The responsive turbo-diesel engine provides your business with efficiency without sacrificing performance. For a gasoline option, the 3500 and 4500 models feature a powerful 6.6L V8 engine with 350 hp and 425 lb.-ft. of torque.

MODEL <sup>1</sup>	ENGINE	FUEL TYPE	TRANSMISSION	HORSEPOWER	TORQUE
3500	6.6L V8	Gas	6-Speed	350	425
4500	6.6L V8	Gas	6-Speed	350	425
4500 HD	5.2L I-4	Diesel	6-Speed	215	452
4500 XD	5.2L I-4	Diesel	6-Speed	215	452
5500 HD	5.2L I-4	Diesel	6-Speed	215	452
5500 XD	5.2L I-4	Diesel	6-Speed	215	452
6500 XD	5.2L I-4	Diesel	6-Speed	215	520

## 4500 HD, 4500 XD, 5500 HD AND 5500 XD LOW CAB FORWARD

Fitted with a 5.2L I-4 4H turbocharged diesel engine and paired with an Aisin® A465 6-speed automatic transmission with double overdrive and lock-up 2nd-6th gears, the 4500 HD, 4500 XD, 5500 HD and 5500 XD deliver 215 hp and 452 lb.-ft. of torque. All are available in Regular Cab and Crew Cab configurations.

## 6500 XD LOW CAB FORWARD

Equipped with a 5.2L I-4 4H turbocharged diesel engine and paired with an Allison® 2550RDS 6-speed automatic transmission with park pawl and PTO Gear, the 6500 XD delivers 215 hp and 520 lb.-ft. of torque. The 6500 XD is available in a Regular Cab configuration.

<sup>1</sup>GM's product offering is subject to change as a result of market demand shifts, production scheduling changes and other factors.

# LIMITED WARRANTIES

## Base Limited Warranty

- Gasoline engine powered units are covered for 3 years or 36,000 miles, whichever comes first.
- Diesel engine powered units are covered for 3 years/unlimited miles.

## Frame Rails and Cross Members Limited Warranty

- Gasoline Engine Powered Units: 100% of parts and labor are covered for 36 months or 36,000 miles, whichever comes first. After 36 months or 36,000 miles (whichever comes first), 50% of parts and labor are covered for up to 60 months/unlimited miles.
- Diesel Engine Powered Units: 100% of parts and labor are covered for 36 months/unlimited miles. After 36 months, 50% of parts and labor are covered for up to 60 months/unlimited miles.

See dealer for details.

## Sheet Metal Limited Warranty

- Corrosion against rust-through is covered for the first 4 years with unlimited miles.

## Powertrain Limited Warranty

- Gasoline engine powered units are covered for 5 years or 75,000 miles, whichever comes first.
- Certain commercial fleet and/or government fleet vehicles equipped with a gas engine purchased under a qualifying fleet account number, are covered for 5 years or 100,000 miles, whichever comes first.
- Diesel engine powered units are covered for 3 years/unlimited miles.

## Tires Limited Warranty

- The tires supplied with your Low Cab Forward Truck are covered by Chevrolet against defects in material or workmanship for 2 years or 24,000 miles, whichever comes first.

Visit [gmfleet.com/contact](http://gmfleet.com/contact) to find your General Motors Fleet representative ready to assist you.

